PROUDLY
DISTRIBUTED BY



www.winya.com.au
1300 184 799
info@winya.com.au

TWIST


Metal structure

— Design Enrico Frigerio by FDG —




TWIST OPERATIVE


STRAIGHT DESKS




TW13



TW14




TW15




TW16

RETURNS




TW53




TW54


TWIN & MEETING DESKS




TW423




TW426




TW443
Extension desk



TW424




TW427




TW444
Extension desk


MEETING TABLES




TW610




TW643




TW644



TW646




TW648




TW640
Extension desk




TW70




TW73



TW45




TW63




TW630
Extension desk

MEETING TABLES 100 CM HEIGHT




TW62


TWIST - GEN 100




TW290
Without end return



TW294
With 1 end return




TW295
With 2 end returns




TW216
Transition desk-top

Transition top for 1 pedestal




TW220
Transition desk-top

Transition top for 2 pedestals



TW75
End pedestal access on both sides




TW77
Transition pedestal with scallops to allow cables through and access on both sides



TW32
Mobile pedestal with cushion


TWIST VIDEO-CONFERENCE

VIDEO-CONFERENCE UNIT: 74 cm HEIGHT WITH SCREEN TO ALLOCATE MONITOR




TW97

VIDEO-CONFERENCE UNIT: 100 cm HEIGHT WITH SCREEN TO ALLOCATE MONITOR




TW91

VIDEO-CONFERENCE TABLE 74 cm HEIGHT



TW495


VIDEO-CONFERENCE TABLE 100 cm HEIGHT




TW496

TWIST SPINE

DESK SUPPORTED TO SPINE - LINEAR MODULES




TWSL24 / TWSR24




TWSL25 / TWSR25

Desk supported to Spine credenza




TWS444



E25

Double Module Compartment
Continuous Electrifications



E15

Single Module Compartment
Continuous Electrifications

Filing drawer



E177

Sliding Door



E175

Front Accessories for single and double modules

TWIST - Individual desks, Twin desks and Meeting tables





FEATURES

1 Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.
2 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
3 Table surface made out of 25mm MFC with round corners. 2mm thick edge.
4 Several screen options available (see accessories).
5 Several cable managing options available (see accessories).
6 PP levellers with anti-skid pad.

CONFIGURATION EXAMPLES





TWIST - GEN





FEATURES


1 Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.
2 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
3 120 degree tops which allow linking desks and create a very new working concept. Table surface made out of 25mm MFC with round corners. 2mm thick edge.
4 Several screen options available (see accessories).
5 Several cable managing options available (see accessories).
6 PP levellers with anti-skid pad.
7 Ending MFC pedestal with both sides access.
8 Steel mobile pedestals with castors. Top cushion available in a wide range of fabrics.
9 Middle extension / desk return / meeting table.
10 Central support leg for configurations with desk returns


CONFIGURATION EXAMPLES







TWIST - GEN 100










TWIST - VIDEO-CONFERENCE



Maximum weight and sizes

TV 65"

maximum 35KG

FEATURES

1 Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.

2 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.

3 Trapezoidal top allows all users to be more connected and closed during meetings. Table surface made out of 25mm MFC with round corners. 2mm thick edge.

4 Steel footrest finished in black (always) - **only for 100cm height desks**.

5 Several cable managing options available (see accessories).

6 PP levellers with anti-skid pad.

1 MFC with aluminium frame "TV" panel fixed on table. "TV and wiring not included".

2 PP levellers with anti-skid pad for fixed TV Panel.

3 Optional conexion:

SCREEN WITHOUT POWER FRAME

It includes:

- **EU**: 3 power modules - GX30 + Cable with Power GX21
- **UK**: 3 power modules - GX30L + Cable with Power GX21L
- **US**: 3 power modules - GX30D + Cable with Power GX21D

- 2 USB- 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit

SCREEN WITH POWER FRAME

It includes:

- **EU**: 3 power modules - GX30 + Cable with Power GX21
- **UK**: 3 power modules - GX30L + Cable with Power GX21L
- **US**: 3 power modules - GX30D + Cable with Power GX21D

- 2 USB - 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit
- Power Frame – 2 types:
  - **For Dedicated CPU**
    -2 USB – 3.0 + HDMI + Power
  - **Without Dedicated CPU**
    - HDMI + 2 powers

4 Fixing points for monitors as per VESA 200, 300 and 400.
Interior fixing points for CPU (As per VESA 75 and 100).

NOTE: Computers and/or Televisions are not included in the price.

CONFIGURATION EXAMPLES









TWIST - VIDEO-CONFERENCE - ELECTRONIC DEVICES


SCREEN WITHOUT POWER FRAME



SCREEN WITH POWER FRAME NO CPU (HDMI + SCHUKO)



SCREEN WITH POWER FRAME WITH CPU *(not included)* (HDMI + USB + SCHUKO)



- **CAPTION**

HDMI 1 (This cable connects TV to Power frame)

HDMI 2 (This cable connects TV to CPU)

TV ELECTRICITY (this cable connects TV to electricity)

CPU ELECTRICITY (this cable connects CPU to electricity)

USB – 2 UDS. (These cables connect CPU with power frame)

WEBCAM (This cable connects webcam with CPU)

GENERAL ELECTRICITY (This cable connects multiple connector to electricity)

CABLE RED (This cable connects CPU to Ethernet point)

PF ELECTRICITY (This cable connects power frame to GX30)

GX30 (Located where power frame is connected, tv and the CPU electricity, in the panel)

POWER FRAME: USB (2ud) + HDMI (1ud) + Shuko (1ud). (Devices are connected outwardly. HDMI of the tv and 2 USB are connected to CPU inwardly).

TWIST - SPINE



SPINE FEATURES

① Filing cabinet support available for single and twin desks. Trapezoidal top's shape.
② Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.
③ 50x40mm warm rolled steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
④ Table surface made out of 25mm MFC with round corners. 2mm thick edge.
⑤ Double access for cables allows using it by two sides (optional).
⑥ Several screen options available (see accessories).
⑦ Several cable managing options available (see accessories).
⑧ PP levellers with anti-skid pad.

❶ MFC filing cabinet. The frame is made of 19mm melamine. Two models are available:
- Individual module: 180 x 40 x 61 cm - Compartment using one side.
- Double module: 180 x 80 x 61 cm - Compartment using 2 sides.

❷ Interior shelves 19 mm melamine.
❸ Top cover in 25 mm melamine, veneered soft edges for added safety and durability.
❹ 2 models of reversible fronts: Sliding melamine 16 mm door and Filing drawer with metal tray and melamine 16 mm front.
❺ Hollow interior for continuous electrification with access to it from the top using folding doors.
❻ Die Cast aluminum feet with PVC anti-skid pad.

CONFIGURATION EXAMPLES



CABLE MANAGEMENT

Twist is available with several cable management options.



Steel metal channel 0,8 mm to 1 mm thick, large capacity for double desks.



Steel metal channel 0,7 mm to 1 mm thick for individual desk.



Metallic cable box container.



Polystyrene cable riser.



Free standing metal cable riser.



Push Latch "T" access.



"U" Access.



Integrated "Q" access.



"R" access.



"P" access with electronic complement.

SCREENS

TWIST offers a big variety of screens: all upholstered panels, with aluminium tool rails allowing accessories, acoustic or glazed. TWIST also offers sliding and independent screens for desktops without any kind of fixation but with big stability.





Desktop fixed screens.



Free standing screen.

MODESTY PANEL



Metallic or MFC.

CPU HOLDER



CPU holder of 25-30 x 49 cm and 1,5 mm thick.

FINISHES

Melamine



00 White | **11 Lime Oak** | **07 Chesnut** | **10 Light Oak** | **03 Black**

Compact Laminated




30 White

Glass



52 White | **59 Black**

Estructure



White | **Silver** | **Black** | **Black / Polished**



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

22,83%
RECYCLED MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL & WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

97,73%
RECYCLABLE MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

STANDARDS

Twist has passed the tests carried out in our laboratory and the tests performed at the Instituto Tecnológico del Mueble (AIDIMME) corresponding to the standards:

Regulations	Description
UNE-EN 527-1:2011	Office furniture. Work tables. **Part 1:** Dimensions.
UNE-EN 527-2:2017+A1:2019	Office furniture. Work tables. **Part 2:** Requirements for safety, strength and durability.
UNE-EN 15372:2017	Furniture. Strength, durability and safety. Requirements for non-domestic tables.
REAL DECRETO RD 488/1997	